

**ZESPÓŁ AFIDOLOGICZNY
APHIDOLOGICAL ASSOCIATION**

ZESZYTY AFIDOLOGICZNE

1990

zeszyt 2

WARSZAWA

Spis treści zeszytu 2

PIECHOTA J.	Mszyce roślin użytkowych Polski	
	2. Mszyce zbóż i traw	... 4
PIECHOTA M., PIECHOTA J.	Krajowe gatunki mszyc	
	1. Rodzaj: <i>Mindarus</i> KOCH, 1856	...104
PIECHOTA J.	Lista mszyc Polski	...112
PIECHOTA J.	One aphid species (Homoptera, Aphidoidea) new for Poland	...143

LISTA MSZYC POLSKI

JACEK PIECHOTA

Zespół Afidologiczny, ul. Marszałkowska 14^a/91
00-590 Warszawa

SYSTEMATYCZNY PRZEGŁĄD GATUNKÓW

Ordo: *Homoptera*

Subordo: *Sternorrhyncha*

Sectio: *Aphidodea*

APHIDOMORPHA

Superfamilia: *Phylloxeroidea*

Familia: *Adelgidae*

Subfamilia: *Pineinae*

Genus: *Pineus* SHIMER, 1869

P. cembrae (CHOLODKOVSKY, 1988)

P. pineoides (CHOLODKOVSKY, 1903)

P. pini (RATZEBURG, 1844)

P. strobi (HARTIG, 1837)

Subfamilia: *Adelginae*

Tribus: *Dreyfusini*

Genus: *Aphrastasia* BORNER, 1909

A. pectinatae (CHOLODKOVSKY, 1888)

Genus: *Dreyfusia* BORNER, 1908

D. nordmanniana (ECKSTEIN, 1890) *D. piceae* (RATZEBURG, 1844)

Tribus: *Adelgini*

Genus: *Adelges* VALLOT, 1836

A. laricis VALLOT, 1836
A. tardus (DREYFUS, 1888)

Genus: *Gilletteella* BORNER, 1930

G. cooleyi (GILLETTE, 1907)

Genus: *Sacchiphantes* Curtis, 1844

S. abietis (LINNAEUS, 1758)
S. viridis (RATZEBURG, 1843)

Familia: *Phylloxeridae*

Subfamilia: *Phylloxerininae*

Genus: *Phylloxerina* BORNER, 1908

P. capreae BORNER, 1942
P. salicis (LICHTENSTEIN, 1884)

Subfamilia: *Phylloxerinae*

Genus: *Acanthochermes* KOLLAR, 1848

A. quercus KOLLAR, 1848

Genus: *Phylloxera* BOYER DE FONSCOLOMBE, 1834

P. coccinea (V. HEYDEN, 1837)
P. glabra V. HEYDEN, 1837

Superfamilia: *Aphidoidea*

Familia: *Hormaphididae*

Tribus: *Oregmini*

Genus: *Cerataphis* LICHTENSTEIN, 1882

C. lataniae (BOISDUVAL 1867)

Tribus: Hormaphidini

Genus: *Hormaphis* OSTEN-SACKEN, 1861

H. betulae (MORDVILKO, 1901)

Genus: *Hamamelistes* SHIMER, 1867

H. betulinus (HORVATH, 1896)

Familia: *Pemphigidae*

Subfamilia: *Eriosomatinae*

Genus: *Eriosoma* LEACH, 1818

E. lanigerum (HAUSMANN, 1802)

Genus: *Schizoneura* HARTIG, 1837

S. lanuginosum HARTIG, 1837

S. patchiae (BORNER ET BLUNCK, 1916)

S. ulmi (LINNAEUS, 1758)

Genus: *Colopha* MONELL, 1877

C. compressa (KOCH, 1856)

Genus: *Kaltenbachiella* SCHOUTEDEN, 1906

K. pallida (HALIDAY, 1838)

Genus: *Tetraneura* HARTIG, 1841

T. africana VAN DER GOOT, 1912

T. ulmi (LINNAEUS, 1758)

+ forma *personata* (BORNER, 1950)

Subfamilia: *Pemphiginae*

Genus: *Pachypappa* KOCH, 1856

P. marsupialis KOCH, 1856

P. populi (LINNAEUS, 1758)

P. tremulae (LINNAEUS, 1761)

P. vesicalis KOCH, 1856

P. varschavensis (NASONOV, 1894)

Genus: *Pachypappella* BAKER, 1920

P. lactea (TULLGREN, 1909)

Genus: *Gootiella* TULLGREN, 1925

G. alba SHAPOSHNIKOV, 1952

G. tremulae TULLGREN, 1925

Genus: *Patchiella* TULLGREN, 1925

P. reaumuri (KALTENBACH, 1843)

Genus: *Mimeuria* BORNER, 1952

M. ulmiphila (DEL GUERCIO, 1917)

Genus: *Prociphilus* KOCH, 1856

Subgenus: *Prociphilus* s. str.

P. (P.) bumeliae (SCHRANK, 1801)

P. (P.) fraxini (FABRICIUS, 1787)

Subgenus: *Stagona* KOCH, 1856

P. (S.) pini (BURMEISTER, 1835)

P. (S.) xylostei (DEGEER, 1773)

Genus: *Thecabius* KOCH, 1856

Subgenus: *Thecabius* s. str.

T. (T.) affinis (KALTENBACH, 1843)

Subgenus: *Parathecabius* BORNER, 1950

T. (P.) lysimachiae BORNER ET BLUNCK, 1916

T. (P.) stammeri (ZWOLFER, 1957)

Genus: *Pemphigus* HARTIG, 1837

P. betae F. P. MULLER, 1969 nec DOANE, 1900

P. borealis TULLGREN, 1909

P. bursarius (LINNAEUS, 1758)

P. fuscicornis (KOCH, 1857)

P. immunis BUCKTON, 1896

P. phenax BORNER ET BLUNCK, 1916

P. populinigrae (SCHRANK, 1801)

P. protospirae LICHTENSTEIN, 1885

P. spyrothecae PASSERINI, 1856

Subfamilia: *Fordinae*

Genus: *Paracletus* V. HEYDEN, 1837

P. bykovi (MORDVILKO, 1921)

P. cimiciformis V. HEYDEN, 1837

Genus: *Forda* V. HEYDEN, 1837

F. formicaria V. HEYDEN, 1837
F. marginata KOCH, 1857
F. pawlowae (MORDVILKO, 1901)

Genus: *Smynthurodes* WESTWOOD, 1849

S. betae WESTWOOD, 1849

Genus: *Baizongia* RONDANI, 1848

B. pistaciae (LINNAEUS, 1767)

Genus: *Geoica* HART, 1894

G. setulosa (PASSERINI, 1860)
G. utricularia (PASSERINI, 1856)

Familia: *Anoeciidae*

Genus: *Anoecia* KOCH, 1856

Subgenus: *Anoecia* s. str.

A. (A.) corni (FABRICIUS, 1775)
A. (A.) furcata (THEOBALD, 1913)
A. (A.) nemoralis BORNER, 1950
A. (A.) stipae (MAMONTOVA, 1968)
A. (A.) vagans (KOCHE, 1856)
A. (A.) zirniisi MORDVILKO, 1931

Subgenus: *Paranoecia* ZWOLFER, 1957

A. (P.) pskovica MORDVILKO, 1916

Familia: *Mindaridae*

Genus: *Mindarus*, KOCH, 1856

M. abietinus KOCH, 1856
M. obliquus (CHOLODKOVSKY, 1896)

Familia: *Thelaxidae*

Genus: *Thelaxes* WESTWOOD, 1840

T. dryophila (SCHRANK, 1801)
T. suberi (DEL GUERCIO, 1911)

Genus: *Glyphina* KOCH, 1856

G. betulae (LINNAEUS, 1758)
G. schrankiana BORNER, 1950

Familia: *Phloeomyzidae*

Genus: *Phloeomyzus* HORVATH, 1896

P. passerini (SIGNORET, 1895)

Familia: *Drepanosiphidae*

Subfamilia: *Drepanosiphinae*

Genus: *Drepanosiphum* KOCH, 1855

D. acerinum (WALKER, 1848)

D. aceris KOCH, 1854

D. platanoidis (SCHRANK, 1801)

Subfamilia: *Phyllaphidinae*

Tribus: *Phyllaphidini*

Subtribus: *Phyllaphidina*

Genus: *Phyllaphis* KOCH, 1856

P. fagi (LINNAEUS, 1767)

Genus: *Symydobius* MORDVILKO, 1894

S. oblongus (V. HEYDEN, 1837)

Genus: *Clethrobius* MORDVILKO, 1928

C. comes (WALKER, 1848)

Genus: *Euceraphis* WALKER, 1870

E. betulae (KOCHE, 1855)

E. punctipennis (ZETTERSTEDT, 1828)

Genus: *Callipterinella* VAN DER GOOT, 1913

C. calliptera (HARTIG, 1841)

C. tuberculata (V. HEYDEN, 1837)

Genus: *Calaphis* WALSH, 1863

C. betulincola (KALTENBACH, 1843)

C. flava (MORDVILKO, 1928)

Genus: *Betulaphis* GLENDENNING, 1926

- B. brevipilosa* BORNER, 1940
B. helvetica HILLE RIS LAMBERS, 1947
B. quadriuberculata (KALTENBACH, 1843)
 ssp. *quadrituberculata* s. str.
 ssp. *intermedia* BORNER, 952

Genus: *Boernerina* BRAMSTEDT, 1940

- B. depressa* BRAMSTEDT, 1940

Genus: *Monaphis* WALKER, 1870

- M. antennata* (KALTENBACH, 1843)

Subtribus: *Callaphidina*

Genus: *Callaphis* WALKER, 1870

- C. juglandis* (GOETZE, 1778)

Genus: *Chromaphis* WALKER, 1870

- C. juglandicola* (KALTENBACH, 1843)

Genus: *Eucallipterus* SCHOUTEDEN, 1906

- E. tiliæ* (LINNAEUS, 1758)

Genus: *Tinocallis* MATSUMURA, 1919

- T. platani* (KALTENBACH, 1843)
T. nevskyi REMAUDIERE, QUEDNAU et HEIE, 1988

Genus: *Tuberculatus* MORDVILKO, 1894

Subgenus: *Tuberculatus* s. str.

- T. (T.) quercus* (KALTENBACH, 1843)

Subgenus: *Tuberculoides* VAN DER GOOT, 1915

- T. (T.) annulatus* (HARTIG, 1841)
T. (T.) borealis (KRZYWIEC, 1971)
T. (T.) eggleri BORNER, 1950
T. (T.) neglectus (KRZYWIEC, 1965)

Genus: *Myzocallis* PASSERINI, 1860

M. boernerii STROYAN, 1957

M. carpini (KOCH, 1855)

M. castanicola BAKER, 1917

M. coryli (GOETZE, 1778)

M. myricae (KALTENBACH, 1843)

Genus: *Pterocallis* PASSERINI, 1860

P. albida BORNER, 1940

P. alni (DEGEER, 1773)

P. maculata (V. HEYDEN, 1837)

Genus: *Ctenocallis* KLODNICKIJ, 1924

C. setosus (KALTENBACH, 1843)

Subtribus: *Therioaphidina* BORNER, 1949

Genus: *Therioaphis* WALKER, 1870

Subgenus: *Therioaphis* s. str.

T. (T.) hungarica SZELEGIEWICZ, 1968

T. (T.) luteola (BORNER, 1949)

T. (T.) ononidis (KALTENBACH, 1846)

T. (T.) riehmi (BORNER, 1949)

T. (T.) subalba BORNER, 1949

T. (T.) tenera (AIZENBERG, 1959)

T. (T.) trifolii (MONELL, 1882)

spp. *trifolii* s. str. + forma *maculata* (BUCKTON, 1899)

ssp. *ventromaculata* F. P. MULLER, 1968

Subgenus: *Rhizoberlesia* DEL GUERCIO, 1915

T. (R.) brachytricha HILLE RIS LAMBERS et BOSCH, 1964

Tribus: *Saltusaphidini*

Subtribus: *Thripsaphidina*

Genus: *Thripsaphis* GILLETTE, 1917

T. caricicola (MORDVILKO, 1914)

Genus: *Trichocallis* BORNER, 1930

T. caricis (MORDVILKO, 1921)

T. cyperi (WALKER, 1848)

T. ossiannilsoni (HILLE RIS LAMBERS, 1952)

T. verrucosa (GILLETTE, 1917)

Genus: *Neobacillaphis* HUCULAK, 1968

N. szelegiewiczi HUCULAK, 1968

Genus: *Subsaltusaphis* QUEDNAU, 1953

S. flava (HILLE RIS LAMBERS, 1939)
S. intermedia (HILLE RIS LAMBERS, 1939)
S. lamberesi (QUEDNAU, 1954)
S. ornata (THEOBALD, 1927)
S. pallida (HILLE RIS LAMBERS, 1939)
S. paniceae (QUEDNAU, 1954)
S. picta (HILLE RIS LAMBERS, 1939)
S. rossneri (BORNER, 1940)

Subtribus: *Saltusaphidina*

Genus: *Saltusaphis* THEOBALD, 1915

S. scirpus THEOBALD, 1915

Genus: *Nevskyella* OSSIANILSSON, 1954

N. fungifera (OSSIANNILSSON, 1953)

Genus: *Iziphya* NEVSKY, 1929

I. austriaca BORNER, 1950
I. bufo (WALKER, 1848)
I. ingegardae HILLE RIS LAMBERS, 1952
I. leegei BORNER, 1940
I. maculata NEVSKY, 1929
I. memorialis BORNER, 1950

Genus: *Sminthuraphis* QUEDNAU, 1953

S. ulrichi QUEDNAU, 1953

Familia: Chaitophoridae

Subfamilia: Chaitophorinae

Tribus: Chaitophorini

Genus: *Periphyllus* VAN DER HOEVEN, 1863

P. acericola (WALKER, 1848)
P. aceris (LINNAEUS, 1758)
P. coracinus (KOCH, 1854)
P. hirticornis (WALKER, 1848)

P. lyropictus (KESSLER, 1886)
P. obscurus MAMONTOVA, 1956
P. villosus (HARTIG, 1841)

Genus: *Chaitophours* KOCH, 1854

C. capreae (MOSLEY, 1841)
C. diversisetosus SZEŁANGIEWICZ et CZYLOK, 1981
C. horii TAKAHASHI, 1939
 ssp. *beuthani* (BORNER, 1950)
C. hypogaeus SCHOUTEDEN, 1906
C. leukomelas KOCH, 1854
C. longisetosus SZEŁANGIEWICZ, 1959
C. mordvilkoi MAMONTOVA in SZEŁANGIEWICZ, 1961
C. nassonovi MORDVILKO, 1894
C. parvus HILLE RIS LAMBERS, 1935
C. populeti (PANZER, 1805)
C. populifoliae (BOYER DE FONSCOLOMBE, 1841)
C. ramicola (BORNER, 1949)
C. saliceti (SCHRANK, 1801)
 + forma *cinereae* MAMONTOVA, 1955
C. salijaponicus ESSIG et KUWANA, 1918
 ssp. *niger* MORDVILKO, 1929
C. tremulae KOCH, 1854
C. truncatus (HAUSMANN, 1802)
C. vitellinae (SCHRANK, 1801)

Tribus: *Siphini*

Genus: *Caricosiphia* BORNER, 1939

C. paniculatae BORNER, 1939

Genus: *Siphia* PASSERINI, 1860

Subgenus: *Siphia* s. str.

S. (S.) glyceriae (KALTENBACH, 1843)

Subgenus: *Rungisia* MIMEUR, 1933

S. (R.) arenarii MORDVILKO, 1921
S. (R.) elegans DEL GUERCIO, 1905
S. (R.) maidis PASSERINI, 1860

Genus: *Chaetosiphella* HILLE RIS LAMBERS, 1939

C. berlesei (DEL GUERCIO, 1905)
C. stipae HILLE RIS LAMBERS, 1947
C. tschernavini (MORDVILKO, 1921)

Genus: *Atheroides* HALIDAY, 1839

A. docasteri OSSIANILSSON, 1955

A. hirtellus HALIDAY, 1839

A. serrulatus HALIDAY, 1839

Genus: *Laingia* THEOBALD, 1922

L. psammae THEOBALD, 1922

Familia: Lachnidae

Subfamilia: Lachninae

Tribus: Lachnini

Genus: *Lachnus* BURMEISTER, 1835

L. longirostris (MORDVILKO, 1901)

L. pallipes (HARTIG, 1841)

L. roboris (LINNAEUS, 1758)

Genus: *Maculolachnus* GAUMONT, 1920

M. submacula (WALKER, 1848)

Genus: *Tuberolachnus* MORDVILKO, 1908

T. salignus (GMELIN, 1788)

Tribus: Stomaphidini

Genus: *Stomaphis* WALKER, 1870

S. quercus (LINNAEUS, 1758)

Genus: *Parastomaphis* PASEK, 1953

P. graffi CHOLODKOVSKY, 1894

+ var. *acerinus* MAMONTOVA, 1963

P. longirostris (FABRICIUS, 1787)

Tribus: Tramini

Genus: *Protrama* BAKER, 1920

P. flavescens (KOCH, 1856)

P. longitarsus (FERRARI, 1872)

P. radicis (KALTENBACH, 1843)

P. ranunculi (DEL GUERCIO, 1909)

Genus: *Trama* V. HEYDEN, 1857

Subgenus: *Trama* s. str.

- T. (T.) centaureae* BORNER, 1940
T. (T.) pubescens KOCH, 1857
T. (T.) rara MORDVILKO, 1908
T. (T.) troglodytes V. HEYDEN, 1837

Subgenus: *Neotrama* BAKER, 1920

- T. (N.) caudata* (DEL GUERCIO, 1919)
T. (N.) maritima (EASTOP, 1953)

Subfamilia: *Cinarinae*

Tribus: *Cinarini*

Genus: *Cinara* CURTIS, 1853

- C. acutirostris* HILLE RIS LAMBERS, 1956
C. brauni BORNER, 1940
C. cembrae (CHOLODKOVSKY, 1891)
C. confinis (KOCHE, 1856)
C. costata (ZETTERSTEDT, 1828)
C. cuneomaculata (DEL GUERCIO, 1909)
C. cupressi (BUCKTON, 1881)
C. hyperophila (KOCHE, 1855)
C. juniperi (DEGEER, 1773)
C. kochiana (BORNER, 1939)
C. laricis (HARTIG, 1837)
C. maculata GAVRILOVA, 1972
C. mordvilkoi (PASEK, 1954)
C. neubergii (ARNHART, 1930)
C. nuda (DEGEER in MORDVILKO, 1895)
C. pectinatae (NORDLINGER, 1880)
C. piceae (PANZER, 1801)
+ var. *paseki* SZEŁĘGIEWICZ, 1962
C. pilicornis (HARTIG, 1841)
C. pinea (MORDVILKO, 1895)
C. pini (LINNAEUS, 1758)
C. pinihabitans (MORDVILKO, 1895)
C. piniphila (RATZEBURG, 1844)
C. pruinosa (HARTIG, 1841)
C. tujafilina (DEL GUERCUO, 1909)
C. viridescens (CHOLODKOVSKY, 1896)

Tribus: *Eulachnini*

Genus: *Schizolachnus* MORDVILKO, 1908

S. pineti (FABRICIUS, 1781)

Genus: *Eulachnus* DEL GUERCIO, 1909

- E. agilis* (KALTENBACH, 1843)
- E. alticola* BORNER, 1940
- E. brevipilosus* BORNER, 1950
- E. cembrae* BORNER, 1950
- E. rileyi* (WILLIAMS, 1911)

Familia: *Aphididae*

Subfamilia: *Pterocommatinae*

Genus: *Neopterocoma* HILLE RIS LAMBERS, 1935

N. asiphum HILLE RIS LAMBERS, 1935

Genus: *Pterocomma* BUCKTON, 1879

- P. jacksoni* THEOBALD, 1921
- P. pilosum* BUCKTON, 1879
 - ssp. *konoii* (HORI in TAKAHASHI, 1939)
 - ssp. *pilosum* s. str.
 - ssp. *sarmaticum* SZELENGIEWICZ, 1967
- P. populeum* (KALTENBACH, 1843)
- P. ringdahli* WAHLGREN, 1940
- P. rufipes* (HARTIG, 1841)
- P. salicis* (LINNAEUS, 1758)
- P. tremulae* BORNER, 1940

Genus: *Plocamaphis* OESTLUND, 1922

- P. amerinae* (HARTIG, 1841)
- P. flocullosa* (WEED, 1891)
 - ssp. *brachysiphon* (OSSIANNILSSON, 1959)
 - ssp. *goernitzii* BORNER, 1940

Subfamilia: *Aphidinae*

Plemię: *Aphidini*

Subtribus: *Rhopalosiphina*

Genus: *Hyalopterus* KOCH, 1854

- H. amygdali* (BLANCHARD, 1840)
- H. pruni* (GEOFFROY, 1762)

Genus: *Rhopalosiphum* KOCH, 1854

- R. insertum* (WALKER, 1849)
R. nymphaeae (LINNEUS, 1761)
R. padi (LINNAEUS, 1758)
R. rufulum RICHARDS, 1960

Genus: *Schizaphis* BORNER, 1931

Subgenus: *Schizaphis* s. str.

- S. (S.) agrostis* HILLE RIS LAMBERS, 1947
S. (S.) dubia HUCULAK, 1968
S. (S.) graminum (RONDANI, 1852)
S. (S.) holci HILLE RIS LAMBERS, 1947
S. (S.) jaroslavi (MORDVILKO, 1921)
S. (S.) longicaudata HILLE RIS LAMBERS, 1949
S. (S.) nigerrima (HILLE RIS LAMBERS, 1931)
S. (S.) rufula (WALKER, 1849)
S. (S.) wahlgreni (OSSIANNILSSON, 1959)
S. (S.) weingaertneriae HILLE RIS LAMBERS, , 1947

Subgenus: *Euschizaphis* HILLE RIS LAMBERS, 1947

S. (E.) palustris (THEOBALD, 1922)

Subgenus: *Paraschizaphis* HILLE RIS LAMBERS, , 1947

- S. (P.) caricis* (SCHOUTEDEN, 1906)
S. (P.) scirpi (PASSERINI, 1847)

Genus: *Melanaphis* VAN DER GOOT, 1917

M. pyraria (PASSERINI, 1874)

Subtribus: *Aphidina*

Genus: *Aphis* LINNAEUS, 1758

Subgenus: *Aphis* s. str.

- A. (A.) acanthoidis* (BORNER, 1940)
A. (A.) acetosae LINNAEUS, 1761
A. (A.) affinis DEL GUERCIO, 1911
A. (A.) austriaca HILLE RIS LAMBERS, 1959
A. (A.) balloticola SZELEGIEWICZ, 1968
A. (A.) berlinskii HUCULAK, 1968
A. (A.) berteroae SZELEGIEWICZ, 1966
A. (A.) breviseta HOLMAN, 1966
A. (A.) brohmeri BORNER, 1952
A. (A.) bupleuri (BORNER, 1932)
A. (A.) calamintiae (BORNER, 1952)

- A. (A.) callunae* THEOBALD, 1915
A. (A.) cerastii (BORNER, 1950)
A. (A.) chloris KOCH, 1854
A. (A.) cirsiioleracei (BORNER, 1932)
A. (A.) clematidis KOCH, 1854
A. (A.) clinopodii PASSERINI, 1861
A. (A.) comari STROYAN et PRIOR, 1977
A. (A.) comensalis STROYAN, 1952
A. (A.) comosa (BORNER, 1950)
A. (A.) confusa WALKER, 1849
A. (A.) coronillae FERRARI, 1872
 ssp. *coronillae* s. str.
 ssp. *arenaria* HOFFMANN, 1968
A. (A.) craccae LINNAEUS, 1758
A. (A.) craccivora KOCH, 1854
A. (A.) crepidis (BORNER, 1940)
A. (A.) cytisorum HARTIG, 1841
A. (A.) davletshinae HILLE RIS LAMBERS, 1966
A. (A.) diphaga WALKER, 1852
A. (A.) epilobii KALTENBACH, 1843
A. (A.) eryngiiglomerata BOZHKO, 1963
A. (A.) etiolata STROYAN, 1952
A. (A.) euphorbiae KALTENBACH, 1843
A. (A.) fabae SCOPOLI, 1763
 ssp. *fabae* s. str.
 ssp. *cirsiacanthoidis* SCOPOLI, 1763
 ssp. *evonymi* FABRICIUS, 1775
 ssp. *solanella* THEOBALD, 1914
A. (A.) farinosa GMELIN, 1790
A. (A.) forbesi WEED, 1889
A. (A.) frangulae KALTENBACH, 1845
 ssp. *frangulae* s. str.
 ssp. *beccabungae* KOCH, 1857
 ssp. *capsellae* KALTENBACH, 1843
A. (A.) funiecta (BORNER, 1950)
A. (A.) galiiſcabri SCHRANK, 1801
A. (A.) genistae SCOPOLI, 1763
A. (A.) gentianae (BORNER, 1940)
A. (a.) gossypii GLOVER, 1877
A. (A.) grossulariae KALTENBACH, 1843
A. (A.) hederae KALTENBACH, 1843
A. (A.) helianthemi FERRARI, 1872
A. (A.) hieracii SCHRANK, 1801
A. (A.) hypocoeridis (BORNER, 19440)
A. (A.) idaei VAN DER GOOT, 1912
A. (A.) ilicis KALTENBACH, 1843
A. (A.) intybi KOCH, 1855
A. (A.) jacobae SCHRANK, 1801
A. (A.) janischii BORNER, 1940
A. (A.) klimeschi (BORNER, 1950)

- A. (A.) lambersi* (BORNER, 1940)
A. (A.) lamiorum (BORNER, 1950)
A. (A.) leontodontis (BORNER, 1950)
A. (A.) longirii HUCULAK, 1968
A. (A.) lotiradicis STROYAN, 1972
A. (A.) mammulata GIMINGHAM et HILLE RIS LAMBERS, 1949
A. (A.) medicaginis KOCH, 1854
A. (A.) mirifica (BORNER, 1950)
A. (A.) molluginis (BORNER, 1950)
A. (A.) nasturtii KALTENBACH, 1843
A. (A.) newtoni THEOBALD, 1927
A. (A.) oenotherae OESTLUND, 1887
A. (A.) origani PASSERINI, 1860
A. (A.) pilosellae (BORNER, 1952)
A. (A.) plantaginis GOETZE, 1778
A. (A.) podagrariae SCHRANK, 1801
A. (A.) pollinosa WALKER, 1849
A. (A.) polygonata (NEVSKY, 1929)
A. (A.) pomi DEGEER, 1773
A. (A.) praeterita WALKER, 1849
A. (A.) proftti (BORNER, 1942)
A. (A.) psammophila SZELEGIEWICZ, 1967
A. (A.) pseudocomosa STROYAN, 1972
A. (A.) pseudolysimachiae HEIKINHEIMO in OSSIANILSSON,
A. (A.) pulsatillae (OSSIANNILSSON, 1959)
A. (A.) pulsatillicola HOLMAN, 1966
A. (A.) roepkei (HILLE RIS LAMBERS, 1931)
A. (A.) ruborum (BORNER, 1932)
A. (A.) rumicis LINNAEUS, 1758
A. (A.) salicariae KOCH, 1855
A. (A.) salviae WALKER, 1852
A. (A.) sambuci LINNAEUS, 1758
A. (A.) sanguisorbae SCHRANK, 1801
A. (A.) sarothamni FRANSSEN, 1928
A. (A.) schilderi (BORNER, 1940)
A. (A.) schneideri (BORNER, 1940)
A. (A.) sedi KALTENBACH, 1843
A. (A.) selini (BORNER, 1940)
A. (A.) serpylli KOCH, 1854
A. (A.) spiraeaphaga F. P. MULLER, 1961
A. (A.) stroyani SZELEGIEWICZ, 1961
A. (A.) subnitida (BORNER, 1940)
A. (A.) subviridis (BORNER, 1940)
A. (A.) symphyti SCHRANK, 1801
A. (A.) tacita HUCULAK, 1968
A. (A.) taraxacicola (BORNER, 1940)
A. (A.) thesi HOLMAN, 1966
A. (A.) thomas i (BORNER, 1950)
A. (A.) tormentillae PASSERINI, 1879
A. (A.) triglochinis THEOBALD, 1926

- A. (A.) ulmariae* SCHRANK, 1801
A. (A.) umbrella (BORNER, 1950)
A. (A.) urticata GMELIN, 1781
A. (A.) uvaeursi OSSIANILSSON, 1959
A. (A.) vaccinii (BORNER, 1940)
A. (A.) veratri WALKER, 1852
A. (A.) verbasci SCHRANK, 1801
A. (A.) versicolor (BORNER, 1950)
A. (A.) verticillatae (BORNER, 1940)
A. (A.) viburni SCOPOLI, 1763
A. (A.) vineti HOFFMANN, 1972
A. (A.) violae SCHOUTEDEN, 190

Subgenus: *Debilisiphon* SHAPOSHNIKOV, 1950

- A. (D.) seselii* (BOZHKO, 1959)

Subgenus: *Brachysiphum* VAN DER GOOT, 1913

- A. (B.) thalictri* KOCH, 1854

Subgenus: *Taxopterina* BORNER, 1940

- A. (T.) vandergooti* (BORNER, 1939)

Genus: *Protaphis* BORNER, 1952

- P. anthemidis* (BORNER, 1940)
P. carlinae (BORNER, 1940)
P. elongata (NEVSKY, 1928)
P. erigerontis (HOLMAN, 1966)
P. hartigi (HILLE RIS LAMBERS, 1931)
P. striata HILLE RIS LAMBERS, 1967

Genus: *Anthemidaphis* TASHEV, 1967

**Genus: *Absinthaphis* REMAUDIERE
in STARY et REMAUDIERE, 1973**

- A. judenkoi* (SZELEGIIEWICZ, 1959)

Genus: *Cryptosiphum* BUCKTON, 1879

- C. artemisiae* BUCKTON, 1879
C. brevipilosum BORNER, 1932

Tribus: *Macrosiphini*

Subtribus: *Anuraphidina*

Genus: Ceruraphis BORNER, 1926

C. eriophori (WALKER, 1848)

Genus: Allocotaphis BORNER, 1950

A. questationis (BORNER, 1942)

Genus: Anuraphis DEL GUERCIO, 1907

A. catonii HILLE RIS LAMBERS, 1935

A. farfarae (KOCH, 1854)

A. subterranea (WALKER, 1852)

Genus: Zinia SHAPOSHNIKOV, 1950

Z. veronicae SHAPOSHNIKOV, 1950

Genus: Dysaphis BORNER, 1931

Subgenus: *Dysaphis* s. str.

D. (D.) aizenbergi (SHAPOSHNIKOV, 1949)

D. (D.) angelicae (KOCH, 1854)

D. (D.) anthrisci BORNER, 1950

D. (D.) apüifolia (THEOBALD, 1923)

 ssp. *petroselini* (BORNER, 1950)

D. (D.) bonomii (HILLE RIS LAMBERS, , 1935)

D. (D.) brancoi (BORNER, 1950)

D. (D.) chaerophylli (BORNER, 1940)

D. (D.) crataegi (KALTENBACH, 1843)

 ssp. *crataegi* s. str.

 ssp. *aethusae* (BORNER, 1950)

 ssp. *kunzei* (BORNER, 1950)

D. (D.) devecia (WALKER, 1849)

D. (D.) hirsutissima (BORNER, 1940)

D. (D.) krumholzi F. P. MULLER, 1961

D. (D.) lappae (KOCH, 1854)

 ssp. *lappae* s. str.

 ssp. *cirsii* (BORNER, 1950)

D. (D.) laserpitii (BORNER, 1950)

D. (D.) laubertii (BORNER, 1940)

D. (D.) nevskyii (BORNER, 1940)

D. (D.) oreoselini SZEL-^N-E-^N-GIEWICZ, 1981

D. (D.) radicola (MORDVILKO, 1897)

D. (D.) ranunculi (KALTENBACH, 1843)

D. (D.) tulipae (BOYER DE FONSCOLOMBE, 1841)

Subgenus: *Pomaphis* BORNER, 1939

- D. (P.) aucupariae* (BUCKTON, 1879)
- D. (P.) plantaginea* (PASSERINI, 1860)
- D. (P.) plantaginis* (PASEK, 1955)
- D. (P.) pyri* (BOYER DE FONSCOLOMBE, 1841)
- D. (P.) sorbi* (KALTENBACH, 1843)

Genus: *Brachycaudus* VAN DER GOOT, 1913

Subgenus: *Brachycaudus* s. str.

- B. (B.) helichrysi* (KALTENBACH, 1843)
- B. (B.) salicinae* (BORNER, 1939)
- B. (B.) spiraeae* BORNER, 1932

Subgenus: *Acaudus* VAN DER GOOT, 1913

- B. (A.) ballotae* (PASSERINI, 1960)
- B. (A.) cardui* (LINNAEUS, 1758)
 - + var. *lateralis* (WALKER, 1848)
- B. (A.) klugkisti* (BORNER, 1942)
- B. (A.) lamii* (KOCH, 1854)
- B. (A.) linariae* STROYAN, 1950
- B. (A.) lucifugus* F. P. MULLER, 1955
- B. (A.) lychnidis* (LINNAEUS, 1758)
- B. (A.) mineuri* REMAUDIERE, 1952
- B. (A.) mordvilkoi* HILLE RIS LAMBERS, , 1931
- B. (A.) napelli* (SCHRANK, 1801)
- B. (A.) populi* (DEL GUERCIO, 191)

Subgenus: *Appelia* BORNER, 1930

- B. (A.) prunicola* (KALTENBACH, 1843)
- B. (A.) schwartzi* (BORNER, 1931)
- B. (A.) tragopogonis* (KALTENBACH, 1843)

Subgenus: *Thuleaphis* HILLE RIS LAMBERS, 1960

- B. (T.) amygdalinus* (SCHOUTEDEN, 1905)
- B. (T.) rumexicolens* (PATCH, 1917)

Subtribus: *Macrosiphina*

Genus: *Mariaella* SZELEĞIEWICZ, 1961

M. lambersi SZELEĞIEWICZ, 1961

Genus: *Brachycolus* BUCKTON, 1879

- B. cerastii* (KALTENBACH, 1846)
- B. cucubali* (PASSERINI, 1863)

B. stellariae (HARDY, 1850)

Genus: *Brachycorynella* AIZENBERG, 1956

B. asparagi (MORDVILKO, 1929)

Genus: *Diuraphis* AIZENBERG, 1956

Subgenus: *Diuraphis* s. str.

D. (D.) muehlei (BORNER, 1950)

Subgenus: *Holcaphis* HILLE RIS LAMBERS, 1939

D. (H.) agrostidis (MUDDATHIR, 1965)

D. (H.) bromicola (HILLE RIS LAMBERS, 1959)

D. (H.) calamagrostis (OSSIANNILSSON, 1959)

D. (H.) frequens (WALKER, 1848)

D. (H.) holci (HILLE RIS LAMBERS, 1939)

Genus: *Semiaphis* VAN DER GOOT, 1913

S. anthrisci (KALTENBACH, 1843)

S. dauci (FABRICIUS, 1775)

S. pimpinella (KALTENBACH, 1843)

Genus: *Hyadaphis* KIRKALDY, 1904

H. bupleuri BORNER, 1939

H. foeniculi (PASSERINI, 1960)

H. polonica SZELEĞIEWICZ, 1959

H. tataricae (AIZENBERG, 1935)

Genus: *Hayhurstia* DEL GUERCIO, 1917

H. atriplicis (LINNAEUS, 1761)

Genus: *Volutaphis* BORNER, 1939

V. schusteri (BORNER, 1939)

Genus: *Lipaphis* MORDVILKO, 1928

Subgenus: *Lipaphis* s. str.

L. (L.) alliariae F. P. MULLER, 1955

L. (L.) erysimi (KALTENBACH, 1843)

L. (L.) fritzmuelleri BORNER, 1950

L. (L.) rossi BORNER, 1939

L. (L.) turritella (WAHLGREN, 1938)

Subgenus: *Lipaphidella* DONCASTER, 1954

L. (L.) ruderalis BORNER, 1939

Genus: *Brevicoryne* VAN DER GOOT, 1917

B. brassicae (LINNAEUS, 1758)

Genus: *Pseudobrevicoryne* HEINZE, 1960

P. buhri (BORNER, 1952)

Genus: *Smiela* MORDVILKO, 1929

S. fusca MORDVILKO, 1929

Genus: *Spatulophorus* F. P. MULLER, 1958

S. incanae F. P. MULLER, 1958

Genus: *Hydaphias* BORNER, 1930

H. hoffmanni BORNER, 1950

H. molluginis BORNER, 1939

H. mosana HILLE RIS LAMBERS, , 1939

Genus: *Staegeriella* HILLE RIS LAMBERS, 1947

S. necopinata (BORNER, 1939)

Genus: *Ammiaphis* BORNER, 1944

A. sii (KOCH, 1855)

Genus: *Chondrilobium* BOZHKO, 1961

C. blattnyi (PINTERA, 1959)

Genus: *Hyalopteroides* THEOBALD, 1916

H. humilis (WALKER, 1852)

Genus: *Coloradoa* WILSON, 1910

C. abrotani (KOCH, 1854)

C. absinthiella OSSIAN NILSSON, 1962

C. absinthii (LICHENSTEIN, 1885)

C. achilleae HILLE RIS LAMBERS, 1939

C. artemisiae (DEL GUERCIO, 1913)

C. campestrella OSSIAN NILSSON, 1959

C. campestris BORNER, 1939
C. inodorella OSSIAN NILSSON, 1959
C. tanacetina (WALKER, 1850)

Genus: *Aspidaphis* GILLETTE, 1917

A. adjuvans (WALKER, 1848)

Genus: *Ossiannilssonia* HILLE RIS LAMBERS, 1952

O. oelandica HILLE RIS LAMBERS, 1952

Genus: *Cavariella* DEL GUERCIO, 1911

C. aegopodii (SCOPOLI, 1763)
C. archangelicae (SCOPOLI, 1763)
C. cicutae (KOCH, 1854)
C. intermedia HILLE RIS LAMBERS, 1969
C. konoi TAKAHASHI, 1939
C. pastinacae (LINNAEUS, 1758)
C. theobaldi (GILLETTE et BRAGG, 1918)

Genus: *Elatobium* MORDVILKO, 1914

E. abietinum (WALKER, 1849)

Genus: *Liosomaphis* WALKER, 1868

L. berberidis (KALTENBACH, 1843)

Genus: *Longicaudus* VAN DER GOOT, 1913

L. trirhodus (WALKER, 1849)

Genus: *Ericaphis* BORNER, 1939

E. ericae (BORNER, 1939)
E. latifrons (BORNER, 1942)

Genus: *Myzaphis* VAN DER GOOT, 1913

M. rosarum (KALTENBACH, 1843)

Genus: *Chaetosiphon* MORDVILKO, 1914

Subgenus: *Chaetosiphon* s. str.

C. (C.) alpestre HILLE RIS LAMBERS, 1953

Subgenus: *Pentatrichopus* BORNER, 1930

C. (P.) potentillae (WALKER, 1850)
C. (P.) tetrarhodus (WALKER, 1849)

Genus: *Phorodon* PASSERINI, 1860

Subgenus: *Phorodon* s. str.

P. (P.) humuli (SCHRANK, 1801)

Subgenus: *Paraphorodon* TSENG et TAO, 1938

P. (P.) cannabis PASSERINI, 1860)

Genus: *Ovatus* VAN DER GOOT, 1913

O. crataegarius (WALKER, 1850)
O. insitus (WALKER, 1850)
O. mentharius (VAN DER GOOT, 1913)

Genus: *Ovatomyzus* HILLE RIS LAMBERS, 1947

O. calamintiae (MACCHIATI, 1855)
O. stachyos HILLE RIS LAMBERS, 1947

Genus: *Myzus* PASSERINI, 1860

Subgenus: *Myzus* s. str.

M. (M.) cerasi (FABRICIUS, 1775)
+ var. *prunavium* BORNER, 1926
M. (M.) lythri (SCHRANK, 1801)
M. (M.) ornatus LAING, 1932

Subgenus: *Galiobium* BORNER, 1933

M. (G.) langei (BORNER, 1933)

Subgenus: *Nectarosiphon* SCHOUTEDEN, 1901

M. (N.) ajugae SCHOUTEDEN, 1903
M. (N.) ascalonicus DONCASTER, 1946
M. (N.) certus (WALKER, 1849)
M. (N.) ligustri (MOSLEY, 1841)
M. (N.) myosotidis (BORNER, 1950)
M. (N.) persicae (SULZER, 1776)
M. (N.) titschaki (BORNER, 1942)

Genus: *Utamphorophora* KNOWLTON, 1946

U. alpicola HILLE RIS LAMBERS, 1969

Genus: *Tubaphis* HILLE RIS LAMBERS, 1947

T. ranunculina (WALKER, 1852)

Genus: *Pseudacaudella* BORNER, 1950

P. rubida (BORNER, 1939)

Genus: *Aspidaphium* BORNER, 1939

A. escherichi (BORNER, 1939)

Genus: *Jacksonia* THEOBALD, 1923

J. papillata THEOBALD, 1923

Genus: *Vesiculaphis* DEL GUERCIO, 1911

V. theobaldi TAKAHASHI, 1930

Genus: *Trichosiphonaphis* TAKAHASHI, 1922

Subgenus: *Xenomyzus* AIZENBERG, 1936

T. (X) corticis (AIZENBERG, 1936)

Genus: *Idiopterus* DAVIS, 1909

I. nephrolepidis DAVIS, 1909

Genus: *Paramyzus* BORNER, 1933

P. heraclei (BORNER, 1933)

Genus: *Capitophorus* VAN DER GOOT, 1913

C. carduiinus (WALKER, 1850)

C. elaeagni (DEL GUERCIO, 1894)

C. hippophaes (WALKER, 1852)

C. horni BORNER, 1931

ssp. *horni* s. str.

ssp. *gynoxantha* (HILLE RIS LAMBERS, 1953)

C. pakansus HOTTE et FRISON, 1931

C. similis (VAN DER GOOT, 1915)

Genus: *Cryptomyzus* OESTLUND, 1922

Subgenus: *Cryptomyzus* s. str.

C. (C.) alboapicalis (THEOBALD, 1916)

- C. (C.) galeopsidis* (KALTENBACH, 1843)
 ssp. *galeopsidis* s. str.
 ssp. *dickeri* HILLE RIS LAMBERS, 1953
C. (C.) korschelti BORNER, 1938
C. (C.) leonuri BOZHKO, 1961
C. (C.) ribis (LINNAEUS, 1758)

Subgenus: *Ampullophon* HEIKINHEIMO, 1955

- C. (A.) stachydis* (HEIKINHEIMO, 1955)

Genus: *Nasonovia* MORDVILKO, 1914

- N. compositellae* (THEOBALD, 1924)
 ssp. *nigra* (HILLE RIS LAMBERS, 1931)
N. pilosellae (BORNER, 1933)
N. ribisnigri (MOSLEY, 1841)

Genus: *Hyperomyzus* BORNER, 1933

Subgenus: *Hyperomyzus* s. str.

- H. (H.) lactucae* (LINNAEUS, 1758)
H. (H.) lampsanae (BORNER, 1932)
H. (H.) pallidus HILLE RIS LAMBERS, 1935

Subgenus: *Neonasonovia* HILLE RIS LAMBERS, 1949

- H. (N.) picridis* (BORNER, 1916)
H. (N.) zirnitsi HILLE RIS LAMBERS, 1952

Subgenus: *Hyperomyzella* HILLE RIS LAMBERS, 1949

- H. (H.) rhinanthi* (SCHOUTEDEN, 1903)

Genus: *Rhopalomyzus* MORDVILKO, 1921

Subgenus: *Rhopalomyzus* s. str.

- R. (R.) poae* (GILLETTE, 1908)

Subgenus: *Judenkao* HILLE RIS LAMBERS, 1949

- R. (J.) lonicerae* (V. SIEBOLD, 1839)

Genus: *Submegoura* HILLE RIS LAMBERS, 1953

- S. heikinheimo* (BORNER, 1952)

Genus: *Rhopalosiphoninus* BAKER, 1920

Subgenus: *Rhopalosiphoninus* s. str.

R. (R.) latysiphon (DAVIDSON, 1912)

R. (R.) majanthemi STROYAN, 1965

R. (R.) ribesinus (VAN DER GOOT, 1912)

Subgenus: *Pseudorhopalosiphoninus* HEINZE, 1961

R. (P.) calthae (KOCH, 1854)

Subgenus: *Myzosiphon* HILLE RIS LAMBERS, 1946

R. (M.) staphyleae KOCH, 1854

R. (M.) tulipaellus (THEOBALD, 1916)

Genus: *Aulacorthum* MORDVILKO, 1914

Subgenus: *Aulacorthum* s. str.

A. (A.) flavum F. P. MULLER, 1958

A. (A.) knautiae HEIE, 1960

A. (A.) langei (BORNER, 1939)

A. (A.) majanthemi F. P. MULLER, 1956

A. (A.) palustre HILLE RIS LAMBERS, 1947

A. (A.) pirolacearum (SZELEGIEWICZ, 1967)

A. (A.) sedens F. P. MULLER, 1966

A. (A.) solani (KALTENBACH, 1843)

ssp. *solani* s. str.

ssp. *aegopodii* BORNER, 1939

ssp. *cylactis* (BORNER, 1942)

A. (A.) speyeri (BORNER, 1942)

Subgenus: *Neomyzus* VAN DER GOOT, 1915

A. (N.) circumflexum (BUCKTON, 1876)

Genus: *Microlophium* MORDVILKO, 1914

M. carnosum (BUCKTON, 1876)

M. sibiricum (MORDVILKO, 1914)

Genus: *Metopolophium* MORDVILKO, 1914

M. albidum HILLE RIS LAMBERS, 1947

M. dirhodium (WALKER, 1848)

M. festucae (THEOBALD, 1917)

M. tenerum HILLE RIS LAMBERS, 1947

Genus: *Acyrtosiphon* MORDVILKO, 1914

- A. auctus* (WALKER, 1849)
A. borealis HILLE RIS LAMBERS, 1952
A. caraganae (CHOLODKOVSKY, 1907)
A. chelidonii (KALTENBACH, 1843)
A. cyparissiae (KOCH, 1855)
- ssp. *cyparissiae* s. str.
 - ssp. *propinquum* MORDVILKO, 1914
- A. ignotum* MORDVILKO, 1914
A. knechteli (BORNER, 1950)
A. lacucae (PASSERINI, 1860)
A. loti (THEOBALD, 1912)
A. malvae (MOSLEY, 1841)
- ssp. *malvae* s. str.
 - ssp. *agrimoniae* (BORNER, 1940)
 - ssp. *poterii* PRIOR et STROYAN, 1964
 - ssp. *potha* BORNER, 1950
 - ssp. *rogersii* (THEOBALD, 1933)
- A. parvum* BORNER, 1950
A. pisum (HARRIS, 1776)
- ssp. *pisum* s. str.
 - var. *pisum* s. str.
 - var. *spartii* (KOCH, 1855)
 - ssp. *ononis* (KOCH, 1855)

Genus: *Rhodobium* HILLE RIS LAMBERS, 1947

R. porosum (SANDERSON, 1901)

Genus: *Subacyrthosiphon* HILLE RIS LAMBERS, 1947

S. cryptobium HILLE RIS LAMBERS, 1947

Genus: *Macrosiphum* PASSERINI, 1860

- M. amygdalooides* THEOBALD, 1925
M. cholodkovskyi (MORDVILKO, 1909)
M. daphnidis BORNER, 1940
M. epilobiellum THEOBALD, 1923
M. euphorbiae (THOMAS, 1878)
M. funestum (MACCHIATI, 1885)
M. gei (KOCH, 1855)
M. lisae HEIE, 1965
M. melampyri MORDVILKO, 1919
M. oredonense REMAUDIERE, 1952
M. prenanthidis BORNER, 1940
M. rosae (LINNAEUS, 1758)
M. stellariae THEOBALD, 1912

Genus: *Sitobion* MORDVILKO, 1914

S. avenae (FABRICIUS, 1775)
S. dryopteridis (HOLMAN, 1959)
S. equiseti HOLMAN, 1961
S. fragariae (WALKER, 1848)

Genus: *Impatientinum* MORDVILKO, 1914

I. asiaticum NEVSKY, 1929
I. balsamines (KALTENBACH, 1862)

Genus: *Linosiphon* BORNER, 1950

L. aspergulophagum HOLMAN, 1961
L. galii (MAMONTOVA, 1961)
L. galiophagum (WIMHURST, 1923)

Genus: *Corylobium* MORDVILKO, 1914

C. avellanae (SCHRANK, 1801)

Genus: *Cryptaphis* HILLE RIS LAMBERS, 1947

C. poae (HARDY, 1850)

Genus: *Titanosiphon* NEVSKY, 1928

T. artemisiae (KOCHE, 1855)

Genus: *Pleotrichophorus* BORNER, 1930

P. deviatus (F. P. MULLER, 1972)
P. duponti HILLE RIS LAMBERS, 1935
P. glandulosus (KALTENBACH, 1846)
P. helichrysi BOZHKO, 1963
P. persimilis BORNER, 1950

Genus: *Uroleucon* MORDVILKO, 1914

Subgenus: *Uroleucon* s. str.

U. (U.) achilleae (KOCHE, 1855)
U. (U.) chondrillae (NEVSKY, 1929)
U. (U.) cichorii (KOCHE, 1855)
 spp. *cichorii* s. str.
U. (U.) cirsii (LINNAEUS, 1758)
U. (U.) ensifoliae (HOLMAN, 1965)
U. (U.) hypocoeridis (FABRICIUS, 1779)
U. (U.) inulicola (HILLE RIS LAMBERS, 1939)
U. (U.) jaceicola (HILLE RIS LAMBERS, 1939)
U. (U.) muralis (BUCKTON, 1876)

- U. (U.) obscurum* (KOCH, 1855)
- U. (U.) picridis* (FABRICIUS, 1775)
- U. (U.) pilosellae* (BORNER, 1933)
- U. (U.) pseudoambrosiae* (OLIVE, 1963)
- U. (U.) pulicariae* (HILLE RIS LAMBERS, 1939)
- U. (U.) sonchi* (LINNAEUS, 1767)
- U. (U.) tanaceti* (LINNAEUS, 1762)
- U. (U.) telekiae* (HOLMAN, 1965)
- U. (U.) tussilaginis* (WALKER, 1850)

Subgenus: *Lambersius* OLIVE, 1965

- U. (L.) erigeronensis* (THOMAS, 1878)

Subgenus: *Uromelan* MORDVILKO, 1914

- U. (U.) campanulae* (KALTENBACH, 1843)
- U. (U.) carlinae* (BORNER, 1933)
- U. (U.) doronici* (BORNER, 1942)
- U. (U.) jaceae* (LINNAEUS, 1758)
 - ssp. *aeneum* (HILLE RIS LAMBERS, 1939)
 - ssp. *jaceae* s. str.
 - ssp. *henrichi* (BORNER, 1850)
 - ssp. *reticulatum* (HILLE RIS LAMBERS, 1939)
- U. (U.) nigrocampanulae* (THEOBALD, 1928)
- U. (U.) rapunculoidis* (BORNER, 1939)
- U. (U.) similis* (HILLE RIS LAMBERS, 1935)
- U. (U.) solidaginis* (FABRICIUS, 1781)
- U. (U.) taraxaci* (KALTENBACH, 1843)

Genus: *Paczoskia* MORDVILKO, 1914

- P. longipes* TASHEV, 1964
- P. major* BORNER, 1950

Genus: *Macrosiphoniella* DEL GUERCIO, 1919

Subgenus: *Macrosiphoniella* s. str.

- M. (M.) abrotani* (WALKER, 1852)
- M. (M.) absinthii* (LINNAEUS, 1758)
- M. (M.) artemisiae* (BOYER DE FONSCOLOMBE, 1841)
- M. (M.) dimidata* BORNER, 1942
- M. (M.) millefolii* (DEGEER, 1773)
- M. (M.) ptiarmicae* HILLE RIS LAMBERS, 1956
- M. (M.) sanborni* (GILLETTE, 1908)
- M. (M.) staegeri* HILLE RIS LAMBERS, 1947
- M. (M.) subaequalis* BORNER, 1942
- M. (M.) subterranea* (KOCH, 1855)
- M. (M.) tanacetaria* (KALTENBACH, 1843)

M. (M.) usquertensis HILLE RIS LAMBERS, 1935

Subgenus: *Asterobium* HILLE RIS LAMBERS, 1938

M. (A.) asteris WALKER, 1849

Subgenus: *Phalangomyzus* BORNER, 1939

M. (P.) oblonga (MORDVILKO, 1901)

M. (P.) obtecta (BORNER, 1950)

M. (P.) persequens (WALKER, 1852)

M. (P.) sejuncta (WALKER, 1848)

M. (P.) tapuskae (HOTTES et FRISON, 1931)

Genus: *Ramitrichophorus* HILLE RIS LAMBERS, 1947

R. hilleri lambersi (OSSIANNILSSON, 1934)

R. jankei (BORNER, 1939)

R. medvedevi (BOZHKO, 1950)

Genus: *Metopeurum* MORDVILKO, 1914

M. fuscoviride STROYAN, 1950

Genus: *Microsiphum* CHOLODKOVSKY, 1902

M. jazykovi NEVSKY, 1928

M. millefolii WAHLGREN, 1940

M. woronieckae JUDENKO, 1931

Genus: *Acaudinum* BORNER, 1930

A. centaureae (KOCH, 1854) nec GMELIN, 1758

Genus: *Delphiniobium* MORDVILKO, 1914

D. junackianum (KARSCH, 1887)

Genus: *Amphorophora* BUCKTON, 1876

A. ampullata BUCKTON, 1876

A. gei (BORNER, 1939)

A. rubi (KALTENBACH, 1843)

ssp. *rubi* s. str.

ssp. *idaei* (BORNER, 1939)

Genus: *Amphorosiphon* HILLE RIS LAMBERS, , 1949

A. pulmonariae (BORNER, 1942)

Genus: *Megoura* BUCKTON, 1876

M. littoralis F. P. MULLER, 1952
M. viciae BUCKTON, 1876

Genus: *Megourella* HILLE RIS LAMBERS, 1949

M. tribulus (WALKER, 1849)

Genus: *Illinoia* WILSON, 1910

I. azaleae (MASON, 1925)

Genus: *Neoamphorophora* MASON, 1924

N. ledi (WAHLGREN, 1938)

Genus: *Wahlgreniella* HILLE RIS LAMBERS, 1949

W. ossianilssonii HILLE RIS LAMBERS, 1949

PIŚMIENIĘCTWO

CZYLOKA, 1985. Four aphid species (*Homoptera, Aphidoidea*) from Niecka Nidzierska, new for Poland. Pol. Pism. Ent., 55: 217–219.

EASTOP V. F., HILLE RIS LAMBERS D., 1976. Survey of the world's aphids. W. Junk b. v., Publishers, The Hague, 573 ss.

PIECHOTAJ., 1990. Comments on SZEŁĘGIEWICZ'S list of aphids (*Homoptera, Aphidodea*) of Poland. Zesz. Afid., 5: (w druku).

PIECHOTA J., 1990. Two aphid species (*Homoptera, Aphidodea*) new for Poland. Zesz. Afid., 5: (w druku).

SZEŁĘGIEWICZ H., 1978. Przegląd systematyczny mszyc Polski. Zesz. Probl. Post. Nauk Roln., 208: (wkładka).

SZEŁĘGIEWICZ H., 1981. Materiały do poznania kserotermofilnych mszyc Wyżyny Małopolskiej (*Homoptera, Aphidoidea*). Fragm. Faun., 25 (23): 423–434.

SZEŁĘGIEWICZ H., CZYLOK A., 1981. A new species of *Chaitophorus* KOCH from Poland (*Homoptera, Aphidoidea*). Pol. Pism. Ent., 51: 201–205.